

CNC Coordinate Measuring Machine CRYSTA-Apex V 500/700/900 Series

An innovative and advanced design
ideally suited to your Smart Factory

New Generation CNC Coordinate Measuring Machine



CRYSTA-Apex V 574



CRYSTA-Apex V 776




CRYSTA-Apex V 9106



CNC Coordinate Measuring Machine CRYSTA-Apex V 500/700/900 Series

- Offers high accuracy (1.7 μm), high speed and acceleration and the flexibility to measure small- to medium-sized workpieces.
- Equipped with a temperature compensation system that guarantees the specified accuracy within the wide range of 16°C to 26°C under certain environmental conditions, although high-accuracy CMMs should normally be installed in a temperature controlled room.
- Supports Smart Factory with the following three applications that consolidate information management of the manufacturing process through a network.



- Status Monitor** Allows remote monitoring of the operational status of measuring instruments.
- Condition Monitor*** Allows remote monitoring of the current condition of measuring instruments.
- MeasurLink*** Reduces the production of defective parts through "Visualizing Quality".

*Optional



SMS (Smart Measuring System)
This system allows on-line monitoring of the operational status of a measuring machine and visualization of measurement data produced during the manufacturing process to enable product quality improvement

SPECIFICATIONS

Items	Model	CRYSTA-Apex V 544	CRYSTA-Apex V 574	CRYSTA-Apex V 776	CRYSTA-Apex V 7106
Measuring range	X axis	500 mm		700 mm	
	Y axis	400 mm	700 mm	700 mm	1000 mm
	Z axis	400 mm		600 mm	

Items	Model	CRYSTA-Apex V 9106 (Z600)/9108 (Z800)	CRYSTA-Apex V 9166 (Z600)/9168 (Z800)	CRYSTA-Apex V 9206 (Z600)/9208 (Z800)
Measuring range	X axis	900 mm		
	Y axis	1000 mm	1600 mm	2000 mm
	Z axis	600 mm/800 mm		

Note: While the appearance of the natural stone measuring table varies according to the source, the high stability for which this material is known can always be relied upon.

CRYSTA-Apex V Series Accuracy

Unit: μm

Series	Probe used	Length measurement error*1 ISO 10360-2:2009
500/700/900 Series	SP25M	$E_{0, MPE} = 1.7 + 3L/1000^{*2}$

*1: Specifications vary by configuration, size, and thermal environment.

*2: L = Measuring length (unit: mm)

Note: CNC CMMs on this flyer incorporate a main unit Startup system (relocation detection system), which disables operation when an unexpected vibration has occurred or the machine has been relocated. Be sure to contact your nearest Mitutoyo Sales Office prior to relocating your machine after initial installation

Please contact your local Mitutoyo Sales Office for more details

Mitutoyo

Mitutoyo Corporation

20-1, Sakado 1-Chome,
Takatsu-ku, Kawasaki-shi,
Kanagawa 213-8533, Japan
T +81 (0) 44 813-8230
F +81 (0) 44 813-8231
<http://www.mitutoyo.co.jp>



Find additional product literature and our product catalogue

<http://www.mitutoyo.co.jp/global.html>

Our products are classified as regulated items under Japanese Foreign Exchange and Foreign Trade Law. Please consult us in advance if you wish to export our products to any other country. If the purchased product is exported, even though it is not a regulated item (Catch-All controls item), the customer service available for that product may be affected. If you have any questions, please consult your local Mitutoyo sales office.

Note: All information regarding our products, and in particular the illustrations, drawings, dimensional and performance data contained in this pamphlet, as well as other technical data are to be regarded as approximate average values. We therefore reserve the right to make changes to the corresponding designs, dimensions and weights. The stated standards, similar technical regulations, descriptions and illustrations of the products were valid at the time of printing. Only quotations submitted by ourselves may be regarded as definitive.

Coordinate Measuring Machines

Vision Measuring Systems

Form Measurement

Optical Measuring

Sensor Systems

Test Equipment and Seismometers

Digital Scale and DRO Systems

Small Tool Instruments and Data Management